EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	0	byte$1 with (re-order$3 reorder $3) and 380/268.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/06 18:16
L6	1	(byte$1 and data and (transfer adj rule $1) and random $3 and bus). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/06 18:13
L5	0	(byte$1 and data and (transfer adj rule $1) and random $3 and bus). clm. and 380/268.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/06 18:12
L4	1	(byte$1 and data and (transfer adj rule $1) and random $3 and memory).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/06 18:12
L3	0	(byte$1 and data and (transfer adj rule $1) and random $3 and memory).clm. and 380/268. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/06 18:12
L2	1	(byte$1 and data and (transfer adj rule $1) and random $3 and (transit $3 near2 (once (one adj time))) and memory). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/06 18:11

S77	1	(((transfer$3 near1 rule$3) and (random$3 near2 parameter $3) and (byte$3 near4 (order$3 (reorder$3 re-order$3))) and memor$3).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 11:46
S75	821	byte$1 with (re-order$3 reorder $3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 11:09
S73	43	encod$3 same (alter$4 with (most least) with significant $2 with (bit$3 byte$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 16:20
S72	186	encod$3 same (alter$7 with (most least) with significant $2 with (bit$3 byte$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 16:20
S71	144	encod$3 same (alter$7 with least with significant$2 with (bit$3 byte $3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 16:20
S70	4	encod$3 same (alter$7 with significant$2 with (bit$3 byte $3)) and ((little big) near1 endian)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 16:19
S69	215	encod$3 same (alter$7 with significant$2 with (bit$3 byte $3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 16:18

S68	17	encod$3 same (alter$7 with significance$2 with (bit$3 byte $3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 16:09
S67	2	"5553067".pn. and alter$7 with significance$2 with (bit$3 byte $3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 15:45
S66	2	"5553067".pn. and alter$7 with (bit$3 byte$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 15:44
S65	2	"5553067".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 15:43
S64	2	"6195752".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 12:31

5/6/08 6:26:46 PM
H:\09738893_encode_nbytedata.wsp